

STIC Biotechnology Systems Branch

RAW SEQUENCE LISTING **ERROR REPORT**

The Biotechnology Systems Branch of the Scientific and Technical Information Center (STIC) detected errors when processing the following computer readable form:

Application Serial Number: 10/608,449A
Source: 1Fw16
Date Processed by STIC: 7/14/06

THE ATTACHED PRINTOUT EXPLAINS DETECTED ERRORS.

PLEASE FORWARD THIS INFORMATION TO THE APPLICANT BY EITHER:

- 1) INCLUDING A COPY OF THIS PRINTOUT IN YOUR NEXT COMMUNICATION TO THE APPLICANT, WITH A NOTICE TO COMPLY or,
- 2) TELEPHONING APPLICANT AND FAXING A COPY OF THIS PRINTOUT, WITH A NOTICE TO COMPLY

FOR CRF SUBMISSION AND PATENTIN SOFTWARE QUESTIONS, PLEASE CONTACT MARK SPENCER, TELEPHONE: 571-272-2510; FAX: 571-273-0221

TO REDUCE ERRORED SEQUENCE LISTINGS, PLEASE USE THE **CHECKER VERSION 4.4.0 PROGRAM**, ACCESSIBLE THROUGH THE U.S. PATENT AND TRADEMARK OFFICE WEBSITE. SEE BELOW FOR ADDRESS:

<http://www.uspto.gov/web/offices/pac/checker/chkrnote.htm>

Applicants submitting genetic sequence information electronically on diskette or CD-Rom should be aware that there is a possibility that the disk/CD-Rom may have been affected by treatment given to all incoming mail. Please consider using alternate methods of submission for the disk/CD-Rom or replacement disk/CD-Rom. Any reply including a sequence listing in electronic form should NOT be sent to the 20231 zip code address for the United States Patent and Trademark Office, and instead should be sent via the following to the indicated addresses:

1. EFS-Bio (<**<http://www.uspto.gov/ebc/efs/downloads/documents.htm>**> , EFS Submission User Manual - ePAVE)
2. U.S. Postal Service: Commissioner for Patents, P.O. Box 1450, Alexandria, VA 22313-1450
3. Hand Carry, Federal Express, United Parcel Service, or other delivery service (EFFECTIVE 01/14/05): U.S. Patent and Trademark Office, Mail Stop Sequence, Customer Window, Randolph Building, 401 Dulany Street, Alexandria, VA 22314

Revised 01/10/06



IFW16

RAW SEQUENCE LISTING

PATENT APPLICATION: US/10/608,449A

DATE: 07/14/2006

TIME: 08:27:09

Input Set : A:\I2003269-us. sequence listing.txt

Output Set: N:\CRF4\07142006\J608449A.raw

3 <110> APPLICANT: Tsinghua University
5 <120> TITLE OF INVENTION: Human Interleukin-17 Receptor Like Molecule
7 <130> FILE REFERENCE: I2003269C-US
C--> 9 <140> CURRENT APPLICATION NUMBER: US/10/608,449A
C--> 9 <141> CURRENT FILING DATE: 2003-06-30
9 <160> NUMBER OF SEQ ID NOS: 23
11 <170> SOFTWARE: PatentIn version 3.1

ERRORED SEQUENCES

863 <210> SEQ ID NO: 20
864 <211> LENGTH: 5
865 <212> TYPE: PRT
866 <213> ORGANISM: Homo sapiens
868 <400> SEQUENCE: 20
E--> 870 Trp Ser Xaa Trp Ser
871 1 5

**Does Not Comply
Corrected Diskette Needed**

see p. 2 for error explanation

VARIABLE LOCATION SUMMARY

DATE: 07/14/2006

PATENT APPLICATION: US/10/608,449A

TIME: 08:27:10

Input Set : A:\I2003269-us. sequence listing.txt
Output Set: N:\CRF4\07142006\J608449A.raw

error explanation

Use of n's or Xaa's (NEW RULES):

Use of n's and/or Xaa's have been detected in the Sequence Listing.

Use of <220> to <223> is MANDATORY if n's or Xaa's are present.

in <220> to <223> section, please explain location of n or Xaa, and which residue n or Xaa represents.

Seq#:20; Xaa Pos. 3

VERIFICATION SUMMARY

PATENT APPLICATION: US/10/608,449A

DATE: 07/14/2006

TIME: 08:27:10

Input Set : A:\I2003269-us. sequence listing.txt
Output Set: N:\CRF4\07142006\J608449A.raw

L:9 M:270 C: Current Application Number differs, Replaced Current Application No
L:9 M:271 C: Current Filing Date differs, Replaced Current Filing Date
L:870 M:340 E: (46) "n" or "Xaa" used: Feature required, for SEQ ID#:20